


Main Menu

FPS



dependent on Resolution & REDCODE settings


ISO



F-Stop


Not implemented at this time

1/SEC (Exposure)




* “Relative“ or „Absolute“
dependent on shutter mode


White Balance



Resolution



REDCODE




RED EPIC
MENU GUIDE

OCTAMAS

Menu Guide OCTAMAS AG Switzerland
mail@octamas.com +41 44 401 58 00
www.octamas.com


LEGEND

- Are default values
 Touch this menu icon to enter the Secondary Menus
 Advanced Touch and hold or double-click on an icon to bring up an advanced interface display
 Keypad for entering information directly
 Keyboard for entering information directly
 Slider to adjust levels



Settings

Display



v1.6.20
SVN 34350
BETA

RED EPIC
MENU GUIDE

 **OCTAMAS**

Menu Guide OCTAMAS AG Switzerland
mail@octamas.com +41 44 401 58 00
www.octamas.com

Settings

Display

Frame Guide

Size Full

- Off
- Full
- 4:3
- 16:9
- 1.85:1
- 1.9:1
- 2.4:1
- User

Color

Transparency 0, 25, 50, 75, 100%
50%

Aspect Ratio + 1.00 – 10.00
2.40

Scale X / Y + 0% – 100%
100.00%

Offsets X / Y + 0% – 100%
0.00%

Area Guides

Title Guide

Aspect Ratio Off

- Off
- Full
- 4:3
- 16:9
- 1.85:1
- 1.9:1
- 2.4:1
- User

Color

Transparency 0, 25, 50, 75, 100%
50%

Scale X + 0% – 100%
80.00%

Scale Y + 0% – 100%
80.00%

Action Guide

Aspect Ratio Off

- Off
- Full
- 4:3
- 16:9
- 1.85:1
- 1.9:1
- 2.4:1
- User

Color

Transparency 0, 25, 50, 75, 100%
50%

Scale X + 0% – 100%
90.00%

Scale Y + 0% – 100%
90.00%

Monitor

Birghtness Control LCD/EVF

Touch Gestures

- ☒ Pinch to Magnify unchecked
- ☒ Double-Click unchecked
right 25% to Rec.

v1.6.20
SVN 34350
BETA

RED EPIC
MENU GUIDE

OCTAMAS

Menu Guide OCTAMAS AG Switzerland
mail@octamas.com +41 44 401 58 00
www.octamas.com

Secondary Menus 4/5

Settings

Look

Color



Saturation

0.0 – 2.0

1.0



Contrast

-1.0 – 1.0

0.0



Brightness

-10.0 – 10.0

0.0

Gain



Red

0.0 – 4.0

1.0



Green

0.0 – 4.0

1.0



Blue

0.0 – 4.0

1.0

FLUT



FLUT

-4.0 – 4.0

0.0



Exposure

-2.0 – 4.0

0.0



Shadow

-2.0 – 2.0

0.0

Curve

Space/Gamma C.

REDGamma2

REDGamma2

REDLogFilm

Shutter

Mode

Relative

Absolute

Relative

Sync

Mode

Off

Off

Genlock

Shutter

Internal

Proxy

Slave

Apply

Time Base

FPS

23.98

23.98

24.00

25.00

29.97

47.96

48.00

50.00

59.94

Apply

Time Code

Time Code Source

External TC

External TC

Int User-Provided TC

Use RTC Time

Set Manually

0 – 23

0

0 – 59

0

0 – 59

0

Sensor

Project

Modes

Auto Modes

3D

Animate

Audio/Video

Audio Input



Ch 1 In

Off/UNB

Off



Ch 2 In

Off/UNB

Off



Ch 3 In

Off/UNB

Off



Ch 4 In

Off/UNB

Off

Audio Output



Ch 1 Out

Vol/Mute

Vol



Ch 2 Out

Vol/Mute

Vol



Master

Vol/Mute

Vol

Monitor Control

HD-SDI Mode

Preview

Preview

Guides

Program

Test Signals

Chip Chart



SMPTE Bars



v1.6.20
SVN 34350
BETA

RED EPIC
MENU GUIDE


 **OCTAMAS**

Menu Guide OCTAMAS AG Switzerland
mail@octamas.com +41 44 401 58 00
www.octamas.com

Secondary Menus 5/5

Settings


Setup



v1.6.20
SVN 34350
BETA

RED EPIC
MENU GUIDE

Maintenance




OCTAMAS

Menu Guide OCTAMAS AG Switzerland
mail@octamas.com +41 44 401 58 00
www.octamas.com