

Main Menu

FPS

Basic

12 – 300 fps

24 fps

Advanced

1 – 300 fps +

23.976 fps

dependent on Resolution & REDCODE settings

ISO

250 – 12800

ISO 800

F-Stop

Not implemented at this time

1/SEC (Exposure)

Basic

1 sec – 1/8000 sec

1/48 sec

Advanced

Exposure (Speed)

1/48 sec

Integration Time

20.833 ms

Angle*

Absolute Angle 180.000 deg

1 – 1/8000 sec +

0.125 – 1000 ms +

–4.000–360.000 deg+

* “Relative“ or „Absolute“
dependent on shutter mode

White Balance

Basic

1700 – 10000 K

Advanced

Preset

Daylight

Shade (9000K)

Cloudy (7500K)

Daylight (5600K)

Flash (5500K)

Flourescent (4500K)

Tungsten (3200K)

Incandescent (2800K)

Apply Preset

Color Temp.

5600 K

Tint

0

Calc White Balance

– 1700 – 10000 K+

–30 – 30 +

Resolution

5K 2:1

5K 2:1

5K FF

5K 2.4:1

5K Ana

4K HD

2K 2.4:1

REDCODE

3:1 – 18:1

8:1

dependent on Resolution & fps



RED EPIC
MENU GUIDE

OCTAMAS

Menu Guide OCTAMAS AG Switzerland

mail@octamas.com +41 44 401 58 00

www.octamas.com

LEGEND

Lorem ipsum



Are default values

Touch this menu icon to enter the
Secondary Menus / to return to settings menu
Touch and hold to lock the touchscreen

Advanced



Touch and hold or double-click on an icon

to bring up an advanced interface display



Keypad for entering information directly



Keyboard for entering information directly




Slider to adjust levels







Touch and hold to unlock the touchscreen

Secondary Menus 1/7



Exposure

Not Implemented at this time



Settings

Settings see next pages

Power

Shutdown



**RED EPIC
MENU GUIDE**




Menu Guide OCTAMAS AG Switzerland
mail@octamas.com +41 44 401 58 00
www.octamas.com

Secondary Menus 2/7

Settings

Display



v1.7.9
SVN 41245
BETA

RED EPIC
MENU GUIDE




OCTAMAS

Menu Guide OCTAMAS AG Switzerland
mail@octamas.com +41 44 401 58 00
www.octamas.com

Settings

Display



v1.7.9
SVN 41245
BETA

RED EPIC
MENU GUIDE


OCTAMAS

Menu Guide OCTAMAS AG Switzerland
mail@octamas.com +41 44 401 58 00
www.octamas.com

Secondary Menus 4/7

Settings


Look



v1.7.9
SVN 41245
BETA

RED EPIC
MENU GUIDE

Project





OCTAMAS

Menu Guide OCTAMAS AG Switzerland
mail@octamas.com +41 44 401 58 00
www.octamas.com

Settings

Audio / Video



Secondary Menus 6/7


Settings

Audio / Video



☒ Automatically assign menu screen if enabled
unchecked

- Turning monitors ON/OFF or changing resolution requires a restart
- HDSDI and HDMI cannot be enabled at the same time
- Settings will be applied when the dialog is closed



v1.7.9
SVN 41245
BETA

RED EPIC
MENU GUIDE


 **OCTAMAS**

Menu Guide **OCTAMAS AG** Switzerland
mail@octamas.com +41 44 401 58 00
www.octamas.com

Secondary Menus 7/7

Settings


Setup



v1.7.9
SVN 41245
BETA

RED EPIC
MENU GUIDE

Maintenance



OCTAMAS

Menu Guide OCTAMAS AG Switzerland
mail@octamas.com +41 44 401 58 00
www.octamas.com