

Main Menu

FPS

- Basic: 12 – 300 fps
24 fps
- Advanced: 1 – 300 fps 23.976 fps

dependent on Resolution & REDCODE settings

ISO

- 250 – 12800
ISO 800

F-Stop

Not implemented at this time

1/SEC (Exposure)

- Basic: 1 sec – 1/8000 sec
1/48 sec
- Advanced: Exposure (Speed) 1 – 1/8000 sec 1/48 sec
- Integration Time: 0.125 – 1000 ms 20.833 ms
- Angle*: -4.000 – 360.000 deg Relative Angle 180.000 deg

* „Relative“ or „Absolute“ dependent on shutter mode

White Balance

- Basic: 1700 – 10000 K
- Advanced:
 - Preset: Daylight
 - Shade (9000K)
 - Cloudy (7500K)
 - Daylight (5600K)
 - Flash (5500K)
 - Flourescent (4500K)
 - Tungsten (3200K)
 - Incandecent (2800K)
 - Color Temp.: 1700 – 10000 K 5600 K
 - Tint: -30 – 30 0
 - Calc White Balance

Resolution

- 5K 2:1
5K 2:1
- 5K FF
- 5K 2.4:1
- 5K Ana
- 4K HD
- 2K 2.4:1

REDCODE

- 3:1 – 18:1
8:1
- dependent on Resolution & fps



RED EPIC MENU GUIDE



Menu Guide OCTAMAS AG Switzerland
mail@octamas.com +41 44 401 58 00
www.octamas.com








LEGEND

- Are default values
- Ⓢ Touch this menu icon to enter the Secondary Menus
- Ⓢ Advanced Touch and hold or double-click on an icon to bring up an advanced interface display
- Keypad for entering information directly
- Keyboard for entering information directly
- Slider to adjust levels

Secondary Menus 1/5



**RED EPIC
MENU GUIDE**



Settings


Display



RED EPIC MENU GUIDE

Settings

Display




RED EPIC MENU GUIDE



Secondary Menus 4/5

Settings




RED EPIC MENU GUIDE



Secondary Menus 5/5

Settings

Setup



Maintenance

