

### SENSOR

#### SENSITIVITY

Sensitivity

ASA 100	ASA 500
ASA 125	ASA 640
ASA 160	ASA 800
ASA 200	ASA 1000
ASA 250	ASA 1280
ASA 320	ASA 1600
ASA 400	ASA 2000

#### COLOR TEMP

Auto WB

Tungsten

Daylight

Manual WB

1500 - 10000°K

Tint

-25 - 25

#### SHUTTER

Genlock

Mode

Normal

Syncro

Relative

Speed

1/24 sec	1/48 sec	1/125 sec	1/500 sec
1/25 sec	1/50 sec	1/192 sec	1/696 sec
1/30 sec	1/60 sec	1/200 sec	1/800 sec
1/32 sec	1/96 sec	1/250 sec	1/1000 sec
1/33 sec	1/100 sec	1/384 sec	1/1200 sec
1/40 sec	1/120 sec	1/400 sec	1/2000 sec

Syncro

10 - 90

Phase

-45° - 45°

#### VARISPEED

Varispeed

Ramp

On-Record

On-Event

Framerate

2K:	1 - 120fps
3K:	1 - 60fps
4K:	1 - 30fps

depending on Project Settings

Time

1 - 100 sec

End Rate

2K:	1 - 120fps
3K:	1 - 60fps
4K:	1 - 30fps

depending on Project Settings

#### TIMELAPSE

Enable

Interval

One-Shot

Speed

1/2 sec	1/24 sec	1/48 sec	1/125 sec	1/500 sec
1/3 sec	1/25 sec	1/50 sec	1/192 sec	1/696 sec
1/4 sec	1/30 sec	1/60 sec	1/200 sec	1/800 sec
1/6 sec	1/32 sec	1/96 sec	1/250 sec	1/1000 sec
1/8 sec	1/33 sec	1/100 sec	1/384 sec	1/1200 sec
1/12 sec	1/40 sec	1/120 sec	1/400 sec	1/2000 sec
1/16 sec				

Step Print

1 - 10 frames


Interval

1 sec	8 sec	256 sec
2 sec	16 sec	512 sec
3 sec	32 sec	1024 sec
4 sec	64 sec	
5 sec	128 sec	

Burst Type

Repeated

Unique




# MENU GUIDE

## Build 16 v.3.2.5.

### SYSTEM

#### MONITOR



# SYSTEM

## SETUP

### PREFERENCES

#### Keymap

Side Record

#### User Keys

- User-1
- User-2
- User-3
- User-4
- User-5

- Magnify
- Auto WB
- Color
- View RAW
- Meter
- Zebra 1
- Zebra 2

- + Volume 1
- Volume 1
- + Volume 2
- Volume 2
- + ISO
- ISO
- + Shutter
- Shutter

#### GPIO

- Input A
- Input B

#### Polarity

- Record
- Burst
- Ramp
- GPIO IN 1
  - ACTIVE\_LO
  - ACTIVE\_HI
- GPIO IN 2
  - ACTIVE\_LO
  - ACTIVE\_HI
- GPIO OUT 1
  - ACTIVE\_LO
  - ACTIVE\_HI
- GPIO OUT 2
  - ACTIVE\_LO
  - ACTIVE\_HI

- Shutter
  - Degrees
  - 1/SEC

- Playback
  - 720p
  - 1080p

Grey Scale

### MAINTENANCE

#### FAN

- Auto
  - Standard
  - Quiet
  - Silent
- Variable
- Hot

#### BLK SHADING

- Start
- Restore

#### Restore

- System
- LOOK
- User
- Restore

#### Update SW

#### Set Clock

##### Date

- Year
  - XXXX
- Month
  - XX
- Day
  - XX

##### Time

- Hour
  - XX
- Minute
  - XX
- Second
  - XX

#### Set Clock

- Pre-Record
  - 10 sec
  - 30 sec

# MENU GUIDE

## Build 16 v.3.2.5.

# MENU GUIDE

## Build 16 v.3.2.5.

### VIDEO

#### VIEW

- RAW
- REC 709
- REDspace

#### VIDEO

- LOOK
  - Clear
  - Import 
    - None Available
    - User Specific
  - Export
- Color
  - Saturation  0 - 2.0
  - Exposure  -2.0 - 4.0
  - Brightness  -10.0 - 10.0
  - Contrast  -1.0 - 1.0
- Gain
  - Master  0.0 - 4.0
  - Red Gain  0.0 - 4.0
  - Blue Gain  0.0 - 4.0
  - Green Gain  0.0 - 4.0
- Tone
  - Curve
  - Define 
    - Black 
      - Knee
      - White
    - Toe
    - Center
  - X  0 - 100
  - Y  0 - 100

#### VIEWFINDER

- Color 
  - Monochrome
  - False Color
  - Edge Highlight
- Meters
  - Meter 
    - Spot Meter 
      - RGB Hist
      - Mono Hist
    - Luma Hist
  - Assists 
    - Waveform
    - RGB Parade
    - Focus Assist
    - Focus Overlay
- Zebras
  - Configure 1
    - LO IRE  75 - 103
    - HI IRE  93 - 108
  - Enable 1
  - Configure 2
    - LO IRE  0 - 84
    - HI IRE  5 - 93
  - Enable 2
- Dark Detail  0 - 50%
- Open Gate

#### AUDIO

- Channel 1  20 - 54dB
- Channel 2  20 - 54dB
- Channel 3  20 - 54dB
- Channel 4  20 - 54dB

#### HEADPHONE

- Master Volume  -18 - 0dB
- Volume-Left  -12 - 6dB
- Volume-Right  -12 - 6dB
- Mix 
  - 1L + 2R
  - 3L + 4R
  - Quad Mix