


VIDEO

BETA
B.18
v.3.6.4.
MENU GUIDE



SENSITIVITY	ISO 100	ISO 500	
	ISO 125	ISO 640	
	ISO 160	ISO 800	
	ISO 200	ISO 1000	
	ISO 250	ISO 1280	
	ISO 320	ISO 1600	
	ISO 400	ISO 2000	
	COLOR TEMP	Auto WB	
Tungsten			
Daylight			
Manual WB		↻ 1500 - 10000°K	
Tint		↻ -25 - 25	
SHUTTER	<input checked="" type="checkbox"/> Genlock		
	Mode	↻ Normal Syncro Relative	
	Speed	↻ 1 sec 1/12 sec 1/33 sec 1/100 sec 1/384 sec 1/800 sec 1/2 sec 1/16 sec 1/40 sec 1/120 sec 1/400 sec 1/1000 sec 1/3 sec 1/24 sec 1/48 sec 1/125 sec 1/500 sec 1/1200 sec 1/4 sec 1/25 sec 1/50 sec 1/192 sec 1/696 sec 1/2000 sec 1/6 sec 1/30 sec 1/60 sec 1/200 sec 1/8 sec 1/32 sec 1/96 sec 1/250 sec	
	Syncro	↻ 10 - 90	
	Phase	↻ -45° - 45°	
	VARISPEED	<input checked="" type="checkbox"/> Varispeed	
		Ramp	↻ On-Record On-Event
		Framerate	↻ 2K: 1 - 120fps depending on Project Settings 3K: 1 - 60fps 4K: 1 - 30fps
		Time	↻ 1 - 100 sec
		End Rate	↻ 2K: 1 - 120fps depending on Project Settings 3K: 1 - 60fps 4K: 1 - 30fps
TIMELAPSE	<input checked="" type="checkbox"/> Enable	↻ Interval One-Shot	
	Speed	↻ 1/2 sec 1/24 sec 1/48 sec 1/125 sec 1/500 sec 1/3 sec 1/25 sec 1/50 sec 1/192 sec 1/696 sec 1/4 sec 1/30 sec 1/60 sec 1/200 sec 1/800 sec 1/6 sec 1/32 sec 1/96 sec 1/250 sec 1/1000 sec 1/8 sec 1/33 sec 1/100 sec 1/384 sec 1/1200 sec 1/12 sec 1/40 sec 1/120 sec 1/400 sec 1/2000 sec 1/16 sec	
	Step Print	↻ 1 - 10 frames	
	Interval	↻ 1 sec 8 sec 256 sec 2 sec 16 sec 512 sec 3 sec 32 sec 1024 sec 4 sec 64 sec 5 sec 128 sec	
	Burst Type	↻ Repeated Unique	

